

(12) **EUROPEAN PATENT APPLICATION**

(43) Date of publication:
11.04.2001 Bulletin 2001/15

(51) Int Cl.7: **H04N 7/24**

(21) Application number: **00402619.1**

(22) Date of filing: **21.09.2000**

(84) Designated Contracting States:
AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU
MC NL PT SE
 Designated Extension States:
AL LT LV MK RO SI

(72) Inventors:
 • **Jun, Sung Bae**
Keumcheon-ku, Seoul (KR)
 • **Yoon, Kyoung Ro**
Kangnam-ku, Seoul (KR)

(30) Priority: **22.09.1999 KR 9941192**

(74) Representative: **Verdure, Stéphane et al**
Cabinet Plasseraud, 84 Rue d'Amsterdam
75440 Paris Cédex 09 (FR)


(71) Applicant: **LG ELECTRONICS INC.**
Seoul (KR)

(54) **Multiple item user preference information data structure and method for providing multi-media information**

(57) A user preference information data structure which is capable of classifying and setting user's preference information regarding multimedia contents with multiple items to thereby provide users with user's request-based whole or partial multi-media information, and a method for providing multi-media information by

using the user preference information data structure. The multiple item user preference information data structure for multi-media contents comprising: single item user preference information for single items related to the multi-media information; and multiple items user preference information for multiple items formed by combining the single items.

FIG. 3



Best Available Copy

EP 1 091 585 A2

Description

BACKGROUND OF THE INVENTION

1. Field of the Invention

[0001] The present invention relates to a user preference information data structure and a method for providing whole or partial multi-media content using the user preference information data structure, and more particularly to a user preference information data structure which is capable of classifying and setting user's preference information regarding multimedia contents with multiple items to thereby provide users with user request-based whole or partial multi-media information, and a method for providing multi-media information by using the user preference information data structure.

2. Description of the Background Art

[0002] Recently, as a digital video technique and an image/video recognition technique are developed, information users can easily search a video contents or a specific segments of the video content as desired.

[0003] That is, users easily understand the whole content of a video stream within a short time by searching only a summary version generated according to user's desire, rather than viewing the whole content recorded in the video stream.

[0004] For this purpose, researches are being conducted for searching information desired by the user more easily, for which a content-based information is described to the whole or the partial segments of the multi-media stream so that the user can easily search desired information using the content-based data.

[0005] The content-based data may include a producer, a director, an actor in the whole multi-media stream or may include information related to appearance or disappearance of things in a video scene, information on when things happen, interval information of the stream such as a relationship between a character and happenings.

[0006] Accordingly, when the content-based data is described for the multi-media stream, the user may select a desired multi-media stream, or easily searches only a desired portion (or a segment) of the multi-media stream.

[0007] The method using the content-based data will now be described.

[0008] In order to satisfy the user's request that "show me only the scene in which a main actor is dosed up in the movie Titanic", the video browsing system can display only the desired scene to the user on the basis of the previously described content-based data regarding the multimedia content.

[0009] U.S Patent No. 5,913,013 discloses a method in which a level is set for a violent scene, a nude scene or a portion of appearance of an actor in a multi-media

stream and a code is given for segments, to thereby construct a content map. With this method the user can easily search a desired portion on the basis of the content map.

5 [0010] However, the method for providing multi-media contents or parts of contents using the content map has a problem that whenever the user wants his or her desired information, the searching condition should be described by the user.

10 [0011] In order to solve the problem, most systems adopts a method that automatically recommend programs or segments of programs by combining a content map with a use user preference information.

15 [0012] The user preference information is stored in a non-volatile memory of a terminal device of the user or a server or in a portable non-volatile memory such as a smart card. The user preference information can be automatically learned from the usage history of the user.

20 [0013] In this manner, on the basis of the usage history user preference information can be updated or the user can directly edit his or her user preference information to obtain his or her desired information automatically, thereby expressing a user preference/non-preference.

25 [0014] The user preference/non-preference includes a genre of information such as a melodrama, an action movie, a horror movie, politics, news, economic news, soccer, etc, or general information items related to multi-media content such as producer(s), production date, director(s), characters, a degree of special effects, etc.

30 [0015] The user conventional preference information data structure may indicate preference or non-preference for each item (i.e., a genre of information, a producer, a production date or a director, etc.), and as shown in Figure 1, it is general to have a preference level (or a value) for each item.

35 [0016] The conventional user preference information data structure can be represented as follows

40 Pref = {(I,v) : I denotes a preference item
v is user's preference value related to item I}

45 [0017] Figure 1 is a table expressing user preference information in accordance with a conventional art, in which preference/non-preference level is differently set for a single item field (i.e., each director, each genre or each actor, etc.) and each item.

50 [0018] Figure 2 illustrates a construction of a user preference information data structure in accordance with a conventional art. The user preference information 100 includes a plurality (0, 1, ..., n) of item user preference information 110. The sub-tree of the user preference information 110 includes a preference item identifier 111 for searching multi-media information or a partial portion of the multi-media information and an item preference/non-preference level 112.

55 [0019] The item user preference information 110 may

be formed by items of a similar category, for example, a group (or a set) of preference items by genres or actors. The group (or the set) may be designed to have one-dimensional structure or a hierarchical structure.

[0020] The preference item identifier 111 includes items such as a producer, a director or an actor of the multi-media information. The item preference/non-preference level (or a value) 112 indicates the degree of preference for the preference items.

[0021] In this manner, the method recommends or provides a multi-media stream or a portion of the multi-media stream (a segment or a still image) fitting the user's taste by automatically filtering multi-media stream or its segment according to the user's preference.

[0022] However, generally, as a data format in very diverse types, and further, the content of the multi-media information also includes various genres, there are great number of items to describe the user preference information.

[0023] Accordingly, the conventional user preference information data structure formed merely with the single item and a corresponding user preference/non-preference level. But, multi-media information providing method by using the data structure of the conventional art is unsatisfactory in the aspect that since the information desired by the user is expressed merely by the single item and its corresponding preference item level, it can not fully express the user preference.

[0024] For example, in case where the user has a high preference level for each of preference item 'A' and 'B' while he or she does not prefer the content that 'A' and 'B' appear together at the same time, the user preference expressing method for the single item in accordance with the conventional art fails to fully express the user preference.

SUMMARY OF THE INVENTION

[0025] Therefore, an object of the present invention is to provide a data structure for describing multiple item user preference information data structure which is capable of classifying and setting user's preference information regarding multimedia content with multiple items to thereby provide users with user request-based whole or partial multi-media information, and a method for providing multi-media information by using the user preference information data structure.

BRIEF DESCRIPTION OF THE DRAWINGS

[0026] The accompanying drawings, which are included to provide a further understanding of the invention and are incorporated in and constitute a part of this specification, illustrate embodiments of the invention and together with the description serve to explain the principles of the invention.

[0027] In the drawings:

Figure 1 is a table expressing user preference information in accordance with a conventional art;

Figure 2 illustrates a construction of a user preference information data structure in accordance with a conventional art;

Figure 3 illustrates a construction of a user preference information data structure in accordance with the present invention; and

Figure 4 is a table expressing user preference information in accordance with the present invention.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

[0028] Reference will now be made in detail to the preferred embodiments of the present invention, examples of which are illustrated in the accompanying drawings.

[0029] In order to filter and search multi-media contents, the presented data structure for describing user's preference information permits assigning single preference value(level) to the combinations of multiple user preference items, so as to provide the data structure for describing the user preference level for the multiple items and the method for providing the multi-media information by using the data structure.

[0030] The presented user preference information data structure can be represented as follows

Pref = {(L,v):
L denotes the list of single preference items
v is user's preference value for combinations of preference items in list L}

[0031] Figure 3 illustrates a construction of a user preference information data structure in accordance with the present invention.

[0032] As shown in the drawing, a sub-tree of the user preference information 200 includes a plurality (0, 1, ..., n) of single item user preference information 210 and a plurality (0, 1, ..., n) of multiple items user preference information 220. A sub-tree of the single item user preference information 210 includes a user preference item identifier 211 and an item user preference 212 corresponding to the user preference item identifier. A sub-tree of the multiple items user preference information 220 includes a plurality (2, 3, ..., n) of multiple items identifiers 221 and an item user preference level 222 corresponding to the multiple items identifier.

[0033] In this respect, in the sub-trees of the single item user preference information 210 and the multiple items user preference information 220, items in the similar condition form a group (or a set), which will now be described in detail with reference to Figure 4.

[0034] Figure 4 is a table expressing user preference information in accordance with the present invention, which includes a user preference item identifier field indicating single items and multiple items and a user pref-

erence/non-preference level field indicating the degree of the user preference for each item.

[0035] The single items are divided into single item identifiers and its user preference levels such as a director 'A'. The multiple items are divided into several multiple items consisting of a direction 'A', a director 'B', a genre 'A' and a genre 'B' (i.e., the director 'A' and the genre 'A', the director 'A', the genre 'B', the director 'B' and the genre 'A' and the director 'B' and the genre 'B') and its user preference level.

[0036] Meanwhile, likewise in the conventional art, the user preference information may be changed using a user's access pattern or explicitly edited by the user.

[0037] That is, the user can give different weight value for the single items and the multiple items, so that user preference information suiting the user's taste can be set and thus more accurate information can be obtained.

[0038] Generally, the user preference information data structure which permits multiple items preference is able to provide more accurate information to users than the user preference permits only the single item preference. Therefore, the user preference data structure of present invention can produce more precise result than that of conventional art. and the multimedia information or a portion of the multi-media information provided according to the user preference.

[0039] Therefore, by taking the method for providing multi-media information by using the data structure including the multiple items, users can receive more accurate information of desired contents automatically.

[0040] With reference to Figure 4, the merit of the user preference information including the multiple items will now be described in detail.

[0041] As show in the drawing, it is noted that the user has a tendency (indicated by 'H2') to prefer a movie directed by a director 'B', a movie belonging to a genre 'B' and a movie in which an actor 'A' plays, and has a tendency (indicated by 'H1') not to prefer a movie directed by a director 'A', a movie belonging to a genre 'A' and a movie in which an actor 'B'.

[0042] If the user preference information is expressed only with the single item for the user preference/non-preference according to the conventional art, it is inferred that the user would prefer a movie (indicated by 'H4') that belongs to the genre 'B' and the actor 'A' plays to a movie (indicated by 'H3') that belongs to the genre 'B' and the actor 'B' plays But it may not be true.

[0043] That is, as shown in Figure 4, in case that the user preference information is expressed by using the multiple items and its corresponding user preference/non-preference level, it is resulted in that the user prefers the movie (P2 = H3) that belongs to the genre 'B' and the actor 'B' plays to the movie (P1 = H4) that belongs to the genre 'B' and the actor 'A' plays.

[0044] Consequently, the user preference information can be more accurately recommended or provided by using the multiple items.

[0045] Though the multiple items are increased in

number as the number of the single item is increased, since only the substantially critical multiple items or multiple items desired by the user are stored, and when the single items are combined to generate multiple items, some multiple items that could be hardly combined are excluded from storing, so that the memory of the system can be effectively managed.

[0046] Also, by allocating a weight value for the single items and the multiple items, the multi-media information desired by the user can be rapidly filtered and searched according to the order of priority.

[0047] As so far described, according to the multiple item user preference information data structure of a user profile and the multi-media contents filtering/searching method using the data structure of the present invention, user preference items are divided into the single items and multiple items consisting of the combination of the single items, and the user preference/non-preference information is described for the single items and for the multiple items, so that more accurate multi-media information suiting the user's taste can be used for recommending or providing to the information user.

[0048] As the present invention may be embodied in several forms without departing from the spirit or essential characteristics thereof, it should also be understood that the above-described embodiments are not limited by any of the details of the foregoing description, unless otherwise specified, but rather should be construed broadly within its spirit and scope as defined in the appended claims, and therefore all changes and modifications that fall within the meets and bounds of the claims, or equivalence of such meets and bounds are therefore intended to be embraced by the appended claims.

Claims

1. A multiple item user preference information data structure for multi-media information provided from an information provider comprising:

single item user preference information(210) for single items related to the multi-media information; and
multiple items user preference information (220) for multiple items formed by combining the single items.

2. The data structure according to claim 1, wherein the single item user preference information comprising:

a user preference item identifier(211) which denotes the item to describe user's preference; and
an item preference level(212) indicating the degree of user preference, corresponding to the user preference to the user preference item identifier.

3. The data structure according to claim 1, wherein the multiple item user preference information comprising:

a user preference item identifier(221) which is combination of single user preference items; and
an item preference level(222) indicating the degree of user preference, corresponding to the user preference to combinations of the user preference item identifiers.

4. The data structure according to claim 2 or 3, wherein the item preference level is one of levels divided into a plurality of levels between levels preferred by a user and levels not preferred by the user.

5. The data structure according to claim 1, wherein the single item user preference information and the multiple items user preference information are stored in non-volatile memory of a system installed for an information provider and/or an information user.

6. The data structure according to claim 1, wherein the single item user preference information and the multiple items user preference information are stored in portable non-volatile memory such as smart card.

7. A method for providing multi-media information in which a multi-media is provided from the information provider to users in a user's desired environment, comprising the steps of:

setting user preference information for the multi-media information;
searching the multi-media information according to the user preference information; and
providing users with generated multi-media information according to the searching result.

8. The method according to claim 7, wherein the user preference information comprising:

single item user preference information for single items related to the multi-media information; and
multiple items user preference information for multiple items formed by combining the single items.

9. The method according to claim 8, wherein the single item user preference information comprising:

a user preference item identifier which denotes the item to describe user's preference; and
an item preference level indicating the degree

of user preference, corresponding to the user preference to the user preference item identifier.

10. The method according to claim 8, wherein the multiple items user preference information comprising:

a user preference item identifier which is combinations of single user preference items; and
an item preference level indicating the degree of user preference, corresponding to the user preference to combinations of the user preference item identifiers.

11. The method according to claim 8, wherein in the step of searching multi-media information, in case that there exist a single item and a multiple items together, a weight value is applied to each of the single item and the multiple items and the multi-media information is searched depending on the order of priority according to their weight value.

12. The method according to claim 8, wherein the user preference information is recorded in non-volatile memory of a system installed for the information provider or an information user.

13. The method according to claim 8, wherein the user preference information is recorded in a memory of a system installed in portable non-volatile memory such as smart card.

FIG. 1

ITEM
IDENTIFIERS

PREFERENCE/NON-PREFERENCE LEVEL

	NON-PREFERENCE PREFERENCE								
	-4	-3	-2	-1	0	1	2	3	4
DIRECTOR A									
DIRECTOR B									
DIRECTOR C									
GENRE A									
GENRE B									
GENRE C									
GENRE D									
ACTOR A									
ACTOR B									
ACTOR C									
PLAYER A									
PLAYER B									
PLAYER C									
TEAM A									
TEAM B									
• • •									

FIG. 2
CONVENTIONAL ART




FIG. 3





FIG. 4



**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☒ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.